



***ADVANCING A LARGE NEAR-SURFACE LEAD-SILVER-ZINC DEPOSIT
IN WESTERN AUSTRALIA***

INVESTOR PRESENTATION

JUNE 2019

For personal use only

DISCLAIMER

Forward-Looking Statements

Certain statements in the presentation are or may be “forward-looking statements” and represent the Company’s intentions, projections, expectations or beliefs concerning, among other things, future operating and exploration results or the Company’s future performance. These forward looking statements speak, and the presentation generally speaks, only at the date hereof. The projections, estimates and beliefs contained in such forward looking statements necessarily involve known and unknown risks and uncertainties, and are necessarily based on assumptions, which may cause the Company’s actual performance and results in future periods to differ materially from any express or implied estimates or projections.

General Disclaimer

The information in this presentation remains subject to change without notice. This presentation may contain information (including information derived from publicly available sources) that has not been independently verified by the Company.

Not an Offer

This presentation is for information purposes only. The presentation does not comprise a prospectus, product disclosure statement or other offering document under Australian law. The presentation does not constitute or form part of any invitation, offer for sale or subscription or any solicitation for any offer to buy or subscribe for any shares in Pacifico Minerals Limited.

No Liability

Pacifico Minerals Limited has prepared this document based on information available at the time of preparation. No representation or warranty, express or implied is made as to the fairness, accuracy or completeness of the information, opinions and conclusions contained in this presentation. To the maximum extent permitted by law, Pacifico Minerals Limited, its related bodies corporate and the officers, directors, employees, advisers and agents of those entities do not accept any responsibility or liability for any loss arising from the use of the presentation or its contents or otherwise arising in connection with it.

Competent Person Statements

The Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (the ‘JORC Code’) sets out minimum standards, recommendations and guidelines for Public Reporting in Australasia of Exploration Results, Mineral Resources and Ore Reserves.

The information in this report that relates to Mineral Resources is based on, and fairly reflects, information compiled by Mr David Williams, a Competent Person, who is an employee of CSA Global Pty Ltd and a Member of the Australian Institute of Geoscientists (#4176). Mr Williams has enough experience relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as Competent Person as defined in the 2012 Edition of the Australasian Code for the Reporting of Exploration Results, Mineral Resources, and Ore Reserves (JORC Code). Mr Williams consents to the disclosure of information in this report in the form and context in which it appears.

The information contained in this announcement that relates to geology and exploration results is based, and fairly reflects, information compiled by Mr David Pascoe, who is a Member of the Australian Institute of Geoscientists. Mr Pascoe is a consultant to Pacifico Minerals Limited. Mr Pascoe has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the ‘Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves’. Mr Pascoe consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears.

All parties have consented to the inclusion of their work for the purposes of this announcement. The interpretations and conclusions reached in this announcement are based on current geological theory and the best evidence available to the authors at the time of writing. It is the nature of all scientific conclusions that they are founded on an assessment of probabilities and, however high these probabilities might be, they make no claim for absolute certainty. Any economic decisions which might be taken on the basis of interpretations or conclusions contained in this announcement will therefore carry an element of risks.

CORPORATE SNAPSHOT

CAPITAL STRUCTURE as at 29 May 2019

SHARES ON ISSUE A\$0.06 (BN, UNDILUTED)	2.3
MARKET CAP (A\$M)	13.9
CASH (A\$M)	2.7
ENTERPRISE VALUE (A\$M)	11.2
OPTIONS (M)	452^

Unlisted Options: 62.5M Expiring 6/5/20, Exercisable at \$0.015. 2M Expiring 23/4/20, Exercisable at \$0.020. 26.5M Expiring 21/11/20, Exercisable at \$0.015. 10M Expiring 16/10/21, Exercisable at \$0.020.


Listed Options: 351M Expiring 21/11/20, Exercisable at \$0.015.

CURRENT TOP 5 SHAREHOLDERS

HOLDER	HELD	OWNERSHIP
1. VILLIERS QUEENSLAND PTY LTD*	293,166,665	12.67%
2. ZERO NOM PL	186,588,888	8.07%
3. CITICORP NOM PL	174,844,462	7.56%
4. MR CRAIG GRAEME CHAPMAN*	112,694,999	4.87%
5. AIGLE ROYAL SUPER FUND PTY LTD	100,000,000	4.32%

* Denotes merged holders.

SHARE OWNERSHIP STRUCTURE



■ Directors & Management ■ Top 5 Strategic Investors ■ Other

EXPERIENCED BOARD AND MANAGEMENT

RICHARD MONTI	CHAIRMAN	Geologist with over 30 years experience in technical, commercial, marketing and finance within the exploration and mining industry.
SIMON NOON	MANAGING DIRECTOR	Experienced Mining Executive with a strong background in marketing and finance within the exploration and mining industry. Simon has extensive experience in securing and operating Joint Ventures with mid and top tier miners.
PETER HAROLD	NON-EXECUTIVE DIRECTOR	Process Engineer, more than 30 years experience in the minerals industry with extensive experience in development and operation of base and precious metal projects.
ANDREW PARKER	NON-EXECUTIVE DIRECTOR	Lawyer, extensive experience within the exploration and mining industry, wealth of expertise in corporate advisory and strategic consultancy and, capital raisings.
BARRIE BOLTON	PROJECT DEVELOPMENT MANAGER	Geologist, experienced in challenging exploration environments and negotiating access and agreements with land owners and government authorities.

INVESTMENT HIGHLIGHTS

- Pacifico is developing a large near-surface and flat lying lead-silver-zinc deposit in Western Australia.
- Joint Venture with China's largest lead smelting and silver producer (Henan Yuguang 25% contributing interest).
- Close to port and connected by existing roads and infrastructure.
- EPA approval for Open Pit operation on pre-native title mining licenses.
- Board and management team with diverse experience from exploration through to production.
- PFS delivered compelling economics including low Capex and fast payback.
- Simple metallurgy, low cost processing and high recoveries.
- Low market cap and sufficiently funded for 2019.

2019 ACTIVITIES GENERATING STRONG NEWSFLOW

- 6,000m infill and expansion drilling program recently commenced with regular updates planned Q2 – Q3.
- Offtake and strategic investment discussions underway.
- Metallurgy and processing optimisation testwork results.
- Mineral Resources Estimate update Q3.
- Optimised Pre-Feasibility Study and Ore Reserve estimate Q4.

LOCATION AND INFRASTRUCTURE

- Located ~50km north-east from the regional centre of Kununurra.
- Existing sealed road to transport concentrate from site to the facilities at Wyndham Port, 150km away.
- Established infrastructure allows for fast tracked production.



Image: Port of Wyndham - Currently Shipping Mineral Concentrates.






Image: Sorby Hills Regional Location.

For personal use only

KEY GOVERNMENT APPROVALS SECURED

For personal use only



WA Environmental Protection Authority (EPA) Recommends Environmental Approval

“The WA EPA considers that...the Project can be managed in a manner that...avoids significant or unacceptable environmental impacts and risks.”


Assessment completed for the development of a lead-silver-zinc mine with infrastructure and processing facilities at the Sorby Hills Joint Venture site.

Source: PMY ASX Announcements 29 May 2019

MINERAL RESOURCE ESTIMATE

Global Resource to 29.98Mt of 4.7%Pb equivalent including 10.85Mt of 5.0%Pb equivalent in Indicated Resources¹
“From 20 metres below surface and open in all directions.”

For personal use only



JORC MINERAL RESOURCE ESTIMATE AT A 1.0% LEAD CUT-OFF GRADE ¹				
RESOURCE CLASSIFICATION	TONNES (Kt)	Pb %	Zn %	Ag g/t
INDICATED	10,850	3.9	0.4	46
INFERRED	19,130	3.6	0.7	42
TOTAL	29,980	3.7	0.6	43

¹ See PMY ASX Announcement 7 March 2019 for further details including lead equivalent calculation.

Image: Sorby Hills Looking West Showing Mineralisation at a Slight Oblique View. Red Blocks Represent Mineralisation from the Block Model of the MRE.

Source: PMY ASX Announcements 7 March 2019
 Pacifico confirms that all material assumptions referenced on 7 March 2019, continue to apply and have not materially changed.

PRE-FEASIBILITY STUDY HIGHLIGHTS

“Project significantly de-risked with recently updated Pre-Feasibility Study confirming highly robust financials.”

MINING AND PROCESSING		
Initial Mine Life (Years)	8	
Concentrate (Mtpa)	1	
PRODUCTION		
LOM Lead Metal Production (kt)	249	
LOM Silver Metal Production (Moz)	9.35	
FINANCIAL		
Pre-Production Capital (A\$M)	95.4	
Steady-State Average Cash Flows (A\$M)	60	
KPI ANALYSIS		
	US\$	A\$
Operating Cost \$/lb Lead with Silver Credits	0.06	0.09
NPV ₈ Pre-Tax (A\$M)	243	
IRR Pre-Tax (%)	62	
Payback from Commercial Production (Years)	1.3	

8 Year Initial Mine Life

1 Mtpa Mining Rate

NPV₈ A\$243M

IRR 62%

CAPEX A\$95.4M


Average Cashflow A\$60M

Capital Payback in 16 Months

Source: PMY ASX announcements 26 March 2019

Pacifico confirms that all material assumptions underpinning the production target or the forecast financial information referenced on 26 March 2019, continue to apply and have not materially changed.

OPEN PIT MINING




- Initial production from 3 open pits over initial 8 year mine life.
- Only Indicated Resources used in current mining schedule.
- Mine life expected to increase as Inferred converted to Indicated Resources through infill drilling.
- Flat topography and easy free dig in first 30m enables low cost pre-strip and access to ore.
- Flat to gently dipping, shallow MVT-style lead-silver-zinc deposits minable 5 metre benches.
- Waste rock to be returned to exhausted pits to reduce rehabilitation.

Image: B, CDE and I Deposits Mineralisation and Pit Optimisation.

Source: PMY ASX Announcement 26 March 2019.

GEOLOGY



- MVT style deposits formed in lower Carboniferous (Tournaisian) carbonates within the Burt Range Formation on the eastern flank of the Pincombe Range.
- Mineralisation occurs as a sediment replacement style deposit at the contact between an upper siltstone (Knox Sediments) and a lower dolomite (Sorby Dolomite).
- Mostly lead dominant system with high silver tenor within the galena.
- Deposit open in all directions.
- Exciting down dip potential for SEDEX zinc mineralisation.

Image: Sorby Hills Project Mineralised Corridor of Lead-Silver Deposits.

Source: PMY ASX Announcement 26 March 2019.

METALLURGY AND PROCESSING

“Excellent recoveries and high quality concentrate with simple processing.”

- Metallurgical testing confirms high recoveries for both lead (91%) and silver (87%) into high-value, high-grade concentrate (55-69% Pb).
- Simple lead sulphide mineralogy allows low cost beneficiation before grind and flotation.
- Preliminary Dense Media Separation (DMS) testwork confirms ore grades can be upgraded by two to three times prior to flotation with minimal (<15%) metal loss.
- Soft ore: Work index (WI) of just 9.7kWh/t.
- Coarse galena with optimal grind size at 75mm.




Image: Treatment Plant – Lycopodium Designed Conceptual Flow Sheet.

Source: PMY ASX Announcement 26 March 2019.

PHASE I INFILL DRILLING CAMPAIGN – DEC. 2018

- Results have confirmed that **C, DE, and F deposits are linked** and can be referred to as a single deposit at a strike length of 1.7km and may be minable with a single open cut.
- Significant drill intercepts from each deposit drilled include[^]:
 - **B Deposit: 9.0m at 8.3% Pb equivalent** (7.6% Pb, 32 g/t Ag) and 1.1% Zn from 37m in drill hole AB033.
 - **CD Link: 9.7m at 9.1% Pb equivalent** (7.5% Pb, 68 g/t Ag) and 1.1% Zn from 76m in drill hole ACD019.
 - **DE Deposit: 20.0m at 8.6% Pb equivalent** (7.3% Pb, 56 g/t Ag) and 0.4% Zn from 11min drill hole ACD046.
 - **F Deposit:**
 - **2.6m at 19.5% Pb equivalent** (15.3% Pb, 175g/t Ag) and 0.65% Zn from 108.5m in drill hole AF047.
 - **7.3m at 5.8% Pb equivalent** (4.1% Pb, 70g/t Ag) and 0.02% Zn from 110.7m in drill hole AF048.
 - **14.4m at 4.1% Pb equivalent** (3.6% Pb, 20g/t Ag) and 0.24% Zn from 57.6m in drill hole AF018.
 - **11.7m at 13.2% Pb equivalent** (10.8% Pb, 105 g/t Ag) and 0.4% Zn from 75.7m in drill hole AF005.
 - **I Deposit: 12.3m at 6.5% Pb equivalent** (5.5% Pb, 42g/t Ag) and 0.23% Zn from 90m in drill hole AI011 and **10.0m at 7.8% Pb equivalent** (6.6% Pb, 53 g/t Ag) and 0.9% Zn from 82m, I Deposit in drill hole AI010.

[^] *Zn has not been included in Pb equivalent calculation at this time, however, work currently being completed by PMY may provide the supporting data to include in future calculations.*



Image: Diamond Core From AF013, 124.0m. Example of Abundant Sphalerite (Pale Brown) in Matrix of Dolomite Breccia Occurs Over 4m¹.



Image: Massive Sulphides – Typical Galena (Grey-Blue) With Pyrite (Bronze Colour), Diamond Core from AF005, 82.1m. Strong Lead Mineralisation is Intersected over 9.4m Length in this Particular Hole¹.

¹ PMY ASX Announcement 3 December 2018.
Source: PMY ASX Announcement 14 February 2019.

PHASE II INFILL AND EXPANSION DRILLING CAMPAIGN

For personal use only

“Aiming to move Resources to an Ore Reserve to advance planning for a future mining operation”





Image: Planned Drilling Colour Coded by Purpose.

Source: PMY ASX Announcement 27 May 2019.

KEY MILESTONES

“Outstanding progress made since the Project was acquired.”



For personal use only



CONTACT US



Level 10, 105 St Georges Tce, Perth WA 6000



61 8 6268 0449



info@pacificominerals.com.au



www.pacificominerals.com.au

APPENDICES

CAPITAL INVESTMENT AND OPERATING COSTS

For personal use only

PRE-PRODUCTION CAPITAL EXPENDITURE (A\$M)	
TREATMENT PLANT	40
INFRASTRUCTURE	6
TAILINGS STORAGE FACILITIES	2
CONTRACTORS AND CONSTRUCTION COSTS	4
MANAGEMENT COSTS	8
OWNER'S PROJECT COSTS	10
MINING (INC. DE-WATERING, PRE-STRIP)	14.9
CONTINGENCY	10.5
TOTAL PRE-PRODUCTION CAPEX	95.4

OPERATING COST ESTIMATES		
	A\$/lb	US\$/lb
MINING	0.26	0.18
PROCESSING	0.18	0.13
TCRCs AND OUTBOUND LOGISTICS	0.19	0.13
BY-PRODUCT DEDUCTION FOR NET SILVER REVENUE	0.34	0.24
LEAD C1 DIRECT CASH COST OF PRODUCTION (EXCLUDING SILVER CREDIT)	0.42	0.29
ROYALTIES PAYABLE	0.09	0.06

Source: PMY ASX Announcement 26 March 2019.


SORBY HILLS MRE AT SELECTED CUT OFF GRADES

JORC Category	Cut off Pb %	Tonnes	Grade Pb %	Grade Ag g/t	Contained Pb (Kt)	Contained Ag (Moz)
Indicated	0.75	11,396,044	3.76	45	429.0	16.39
	1.0	10,848,898	3.91	46	424.3	16.10
	1.5	9,771,410	4.20	49	410.8	15.35
	2.5	6,948,729	5.11	58	354.8	13.03
	3.0	5,463,716	5.75	66	314.2	11.53
Inferred	0.75	19,389,025	3.54	42	687.1	25.9
	1.0	19,125,576	3.58	42	684.9	25.58
	1.5	17,463,733	3.82	44	667.1	24.45
	2.5	12,517,111	4.65	49	582.4	19.90
	3.0	10,333,822	5.11	54	528.1	17.79
Total	0.75	30,785,070	3.63	43	1,116.2	42.29
	1.0	29,974,475	3.70	43	1,109.2	41.68
	1.5	27,235,143	3.96	45	1,077.9	39.80
	2.5	19,465,840	4.81	53	937.2	32.93
	3.0	15,797,538	5.33	58	842.2	29.32

For further information on the Mineral Resource Estimate refer to PMY ASX announcement 7 March 2019


LEAD MARKET OPPORTUNITY – DEMAND BY APPLICATION

LEAD CONSUMPTION BY SECTOR



- Largest sector of lead demand is automotive (AV) batteries, accounting for more than 86% of refined lead (of which 64% is used in replacement batteries)¹.
- Wood Mackenzie therefore expects automotive demand to boost lead battery production across 2019². Car ownership in China reached 240M units by the end of 2018 – up 10.5% from 2017.
- EVs require a separate energy storage system to power the lithium-ion propulsion batteries that run their battery management computers and safety systems (i.e. electric braking). Lead is significantly cheaper per unit of storage so it remains the core technology for this application.
- Start-stop automotive technology is becoming more common and places greater power demands on lead batteries – these vehicles will therefore contain 25% more lead per battery³. It is forecast that globally approximately 50% of all new vehicles will be SSVs by 2020.
- Rollout of 5G networks will also support demand for lead in 2019 as base stations currently use lead batteries¹. In China alone, base station production rose by 134% in 2018⁴.
- Lead-acid has a role in the electrification of bikes. There are roughly 15M e-bikes are sold in China alone each year.
- There is growing use of lead in industry for energy storage systems in 2019. Australia alone is tipped to add more than 70,000 home batteries in 2019 due to government subsidies and incentives³.

RECHARGEABLE BATTERY GLOBAL MARKET 2000-2025



¹ SMM Information & Technology Co Ltd 2018 (<https://news.metal.com/newscontent/100847146/smm-price-forecast-conference-2019--slowing-demand-new-capacity-to-grow-lead-supply-surplus/>)

² Wood Mackenzie January 2019 Report 'Lead: 5 things to look for in 2019.'

³ The Assay Group Mining Magazine (<https://www.theassay.com/articles/lead-5-things-to-look-for-in-2019/>)

⁴ RenewEconomy (<https://reneweconomy.com.au/australia-tipped-to-add-70000-home-batteries-in-2019-lead-global-demand-64414/>)

LEAD AND CLEAN ENERGY



“Advanced lead batteries support the clean energy transition.”

- Lead batteries currently provide 75% of worldwide rechargeable energy storage and start-stop functionality for all passenger cars, including EV's.
- Lead batteries are a key element in the transition to a low carbon economy, with unrivalled sustainability credentials:
 - 99% of lead batteries are recycled and reused; and
 - New batteries contain up to 85% recycled content.
- Lead's carrier properties make it an efficient and effective enabler for recycling a broad range of non-ferrous metals (i.e. Gallium which is used in solar panels).


Source: ILSZG May 2019 Presentation 'Importance of Zinc to the Circular Economy.'

LEAD SUPPLY AND DEMAND BALANCE


For personal use only

- Short-term refined lead stocks are close to record lows.
- Global lead demand is forecast to rise by 1.2% to 11.87 million tonnes in 2019¹ due to increased usage in India, Japan, and the Republic of Korea.
- Analysts predict the global lead market demand will grow at a CAGR of 6.74% between 2018 and 2022².
- Base case shows ‘deficit’ for mined lead from 2023 without new mine supply.
- China remains the dominate player in 2019 for both lead production (>54% of 5.2Mt global production in 2018) and consumption (45% of 12.8Mt global consumption in 2018).

BASE CASE MINED LEAD PRODUCTION VS. DEMAND³



LME LEAD INVENTORY (LAST 5 YEARS)⁴



¹ International Lead and Zinc Study Group Press Release 9 May 2019.

² Business Wire <https://www.businesswire.com/news/home/20180803005303/en/Global-Lead-Market-Analysis-Trends-Forecasts-2018-2022>

³ Wood Mackenzie

⁴ www.kitco.com

NON-CORE ASSETS

“Exploring opportunities to sell or establish Joint Ventures for our non-core assets to realise shareholder value.”

BORROLOOLA WEST JOINT VENTURE (NORTHERN TERRITORY)

- Joint Venture Project in the McArthur Basin with Sandfire Resources NL (PMY 51%, SFR 49%).
- Potential for Mt Isa style copper-cobalt-zinc.

SOUTH AUSTRALIA TENEMENTS

- Prospective for battery minerals (Co, Cu, Mn).

COLOMBIAN PROJECTS

- Berrio, Urrao and Natagaima Projects are highly prospective for the discovery of economic copper-gold deposits.

